

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

First Named Inventor: DIETZ, PETER T.
Patent No.: 7238401 Application No.: 09/591584
Dated: July 3, 2007 Confirmation No. 2946
Title: GLAZING ELEMENT AND LAMINATE FOR USE IN THE SAME

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR § 1.322

Commissioner for Patents
Office of Publication
Attn: Certificate of Correction Branch
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF MAILING OR TRANSMISSION [37 CFR § 1.8(a)]	
I hereby certify that this correspondence is being:	
<input type="checkbox"/>	transmitted by facsimile on the date shown below to the United States Patent and Trademark Office at 571-273-8300.
<input checked="" type="checkbox"/>	transmitted to United States Patent and Trademark Office on the date shown below via the Office electronic filing system.
May 12, 2008 Date	Carrie Price Signed by: Carrie Price

Dear Sir:

It is respectfully requested that a Certificate of Correction be issued in connection with the above-identified patent. The required text is submitted on the attached form.


Because the listed errors first occurred in the printed patent, and are not due to Applicant's mistake, no fee is required in connection with this Certificate of Correction.

Fees

- ☐ Any required fee will be made at the time of submission via EFS-Web. In the event fees are not or cannot be paid at the time of EFS-Web submission, please charge any fees under 37 CFR § 1.20(a) which may be required to Deposit Account No. 13-3723.
- ☒ Please charge any additional fees associated with the prosecution of this application to Deposit Account No. 13-3723. This authorization includes the fee for any necessary extension of time under 37 CFR § 1.136(a). To the extent any such extension should become necessary, it is hereby requested.
- ☒ Please credit any overpayment to the same deposit account.

Respectfully submitted,

5/9/08
Date

By: 
Harold C. Knecht III, Reg. No.: 35,576
Telephone No.: 651-575-1056

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO.: 7238401
DATED: July 3, 2007
FIRST NAMED INVENTOR: DIETZ, PETER T.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4 - Line 39 (Approx.) - Delete "&" and insert - - N-substituted - -, therefor.

Column 9 - Line 19 - Delete "grams," and insert - - grams - -, therefor.

Column 10 - Line - 25 (Approx.) - Before "from" insert - - 3300 - -.

Column 10 - Line 35 (Approx.) - Delete "(trimethoxysilyl)propyl" and insert - - (trimethoxysilyl) propyl - -, therefor. (Consider Space)

Column 11 - Line 15 - Below "(0.38 mm)" insert - - ³Disclosed in U.S. Patent Nos. 5,741,549 and 5,759,274. - -.

Column 13 - Line 64 - After "0.17" insert - - inch - -.

Column 13 - Line 66 - After "1/8" insert - - inch - -.

Column 16 - Line 7 - In Claim 9, delete "laminare" and insert - - laminae - -, therefor.

Column 16 - Line 53 - In Claim 19, delete "laminae" and insert - - lamina - -, therefor.

Column 17 - Line 1 - In Claim 19, delete "glass;" and insert - - glass, - -, therefor.

Column 17 - Line 11 - In Claim 22, delete "Z-6" and insert - - Z-26 - -, therefor.

MAILING ADDRESS OF SENDER:

**OFFICE OF INTELLECTUAL PROPERTY COUNSEL
3M INNOVATIVE PROPERTIES COMPANY
3M CENTER - P.O. BOX 33427
SAINT PAUL, MINNESOTA 55133-3427**

PATENT NO. 7238401

No. of add'l copies: -0-
@ 50¢ per page

No add'l copies